From:	Exley, Kevin	
Sent:	26 August 2014 10:25	
То:	DC Consultation; Chris Stanworth; Highways Planning	
Subject:	14NP0073 United Reform Church Rochester	
Attachments:	United Reform Church Rochester NP DISCON.docx	

Please find attached the highways response to the above application.

Kevin Exley Highways Development Management

Northumberland County Council Planning Economy & Housing – Planning & Housing Services Major Developments & Delivery County Hall Morpeth Northumberland NE61 2EF

Telephone:	
Email:	

2

Save Time Do It Online!

We have made some key improvements to our site to make all of our services easy to access. Now you can do everything from paying your council tax, to reporting a faulty street light online. Go to: <u>www.northumberland.gov.uk</u> and click 'pay, apply or report' to access the relevant forms.

Northumberland added disclaimer

This email is intended solely for the individual or individuals to whom it is addressed, and may contain confidential and/or privileged material. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this email is prohibited. If you receive this email in error, please contact the sender and delete the email from any computer. All email communication may be subject to recording and/or monitoring in accordance with internal policy and relevant legislation. **Please, consider your environmental responsibility. Before printing this e-mail ask yourself: "Do I need a hard copy?"**

TOWN & COUNTRY PLANNING ACT 1990 FULL HIGHWAY RECOMMENDATIONS

Location: Birdhopecraig United Reform Church Rochester Newcastle upon Tyne NE19 1TD Ref: 14NPoo73 Proposal: Approval of details reserved by conditions Nos. 6, 9, 10, 11, 12 and 13 of planning permission 13NP0101 in respect of change of use of redundant United reformed Church to a residential dwelling for holiday accommodation purposes.

Having checked the information submitted I should advise that conditions 6 and 9 do not have highway implications.

In relation to Condition 10 – Temporary Storage, the information provided is sufficient to allow the condition to be discharged if the Local Planning Authority is minded to do so.

In relation to Conditions 11 – Parking area, the information provided is sufficient to allow the condition to be discharged if the Local Planning Authority is minded to do so.

In relation to Condition 12 – Vehicular Access, the information provided is sufficient to allow the condition to be discharged if the Local Planning Authority is minded to do so.

In relation to Condition 13 – Surface Water Discharge, the information provided is sufficient to allow the condition to be discharged if the Local Planning Authority is minded to do so.

Yours faithfully

Highways Development Management