From: @environment-agency.gov.uk

Sent: 05 November 2014 14:03

To: DC Consultation

Subject: Environment Agency Response to: 14NP0080

Attachments: PlanningProposal.rtf

The proposal has been reviewed and I enclose the Environment Agency's comments

on:

Walltown Quarry Picnic Site, Brampton, Greenhead, Northumberland, CA8 7HZ

LPA ref: 14NP0080

Information in this message may be confidential and may be legally privileged. If you have received this message by mistake, please notify the sender immediately, delete it and do not copy it to anyone else.

We have checked this email and its attachments for viruses. But you should still check any attachment before opening it.

We may have to make this message and any reply to it public if asked to under the Freedom of Information Act, Data Protection Act or for litigation. Email messages and attachments sent to or from any Environment Agency address may also be accessed by someone other than the sender or recipient, for business purposes. Northumberland National Park Our ref: NA/2014/111524/01-L01

Eastburn South Park Your ref: 14NP0080

Hexham

Northumberland Date: 05 November 2014

**NE46 1BS** 

Dear Sir/Madam

ALTERATIONS TO EXISTING VISITOR FACILITIES TO PROVIDE AN IMPROVED VISITOR CENTRE WITH A CAFE AREA AND OUTSIDE SEATING, IMPROVED TOILET FACILITIES AND A TOURIST INFORMATION CENTRE. WALLTOWN QUARRY PICNIC SITE, BRAMPTON, GREENHEAD, NORTHUMBERLAND, CA8 7HZ

Thank you for referring the above application that was received on 16 October 2014.

The Environment Agency has no objections to the proposed development but wishes to provide the following information:

## **Disposal of Foul Sewage – Environmental Permitting Regulations**

Under the terms of the Environmental Permitting Regulations (England and Wales) 2010, anyone intending to discharge volumes of sewage effluent of 5 cubic metres per day or less to surface waters or 2 cubic metres per day or less to ground may be eligible for an exemption. We are currently working with Defra to review our approach to regulating these small sewage discharges. Whilst this review is underway we will not require registration of small sewage discharges in England under an exemption as previously required, as long as you comply with the conditions set out in our Regulatory Position Statement. This is available on our website at:

http://www.environment-agency.gov.uk/homeandleisure/118753.aspx.

Please note that we will retain the existing system so that anyone can still register if they wish to. This might be, for example, as part of a house sale.

An Environmental Permit from the Agency is normally required for discharges above this volume or to sensitive locations. It is illegal to discharge sewage effluent in sensitive locations, or discharge over 5 cubic metres per day to surface waters or 2 cubic metres per day to ground, without an Environmental Permit.

Further guidance on Environmental Permitting requirements is available on our website

**Environment Agency** 

Tyneside House, Skinnerburn Road, Newcastle Business Park, Newcastle upon Tyne, NE4 7AR.

Customer services line: 03708 506 506

www.gov.uk/environment-agency

Cont/d..

at:

http://www.environment-agency.gov.uk/business/topics/water/32038.aspx

With regards to design, the site must be drained by a separate system of foul and surface water drainage, with all clean roof and surface water being kept separate from foul water.

## **Useful websites for applicants:**

EA website - Do I need to apply for a permit or register an exemption? http://www.environment-agency.gov.uk/business/topics/water/110593.aspx

EA website - Apply for a new Bespoke permit: http://www.environment-agency.gov.uk/business/topics/permitting/117626.aspx

## **Car Parking Areas**

Drainage from parking areas that will discharge to a surface watercourse must be first passed through an oil interceptor. Drainage to soakaway from car parking areas for greater than 50 spaces should be passed through an oil interceptor before discharging to ground.

The Environmental Permitting Regulations make it an offence to cause or knowingly permit any discharge that will result in the input of pollutants to ground and/or surface waters.

I have sent a copy of this letter to the agent/applicant.

Yours faithfully

Susan Davison

Planning Officer - Sustainable Places Team	
Direct dial  Direct fax	
Direct e-mail	

End 2