## **Margaret Telfer**

From: DC Consultation

**Sent:** 05 February 2018 09:40

To: Margaret Telfer

**Subject:** FW: Planning Application Consultation 17NP0131 Kirknewton House, Kirknewton,

Wooler, Northumberland, NE71 6XF

From: On Behalf Of

ruraheh Mailbox

Sent: 15 January 2018 15:04

To: DC Consultation

Subject: Fwd: Planning Application Consultation 17NP0131 Kirknewton House, Kirknewton, Wooler, Northumberland,

**NE71 6XF** 

Hello,

I have been asked by the Senior officer to return this consultation without comment as it falls below the current risk appetite for Public Protection.

Regards

Peter

**Technical Support Officer** 

**Technical Support** 

Business Compliance and Public Safety Unit

Northumberland Fire and Rescue Service

Service HQ West Hartford Business Park

Cramlington

Northumberland

NE23 3JP



----- Forwarded message -----

From: **Public Protection** public.protection@northumberland.gov.uk

Date: 9 January 2018 at 11:40

Subject: Re: Planning Application Consultation 17NP0131 Kirknewton House, Kirknewton, Wooler,

Northumberland, NE71 6XF

To: ruraheh Unknown < ruraleh@northumberland.gov.uk >

On 9 January 2018 at 11:37, NNPA Planning Consultations < <a href="mailto:dcconsultation@nnpa.org.uk">dcconsultation@nnpa.org.uk</a>> wrote: