



**NOTES:**  
 DO NOT SCALE FROM DRAWINGS EXCEPT FOR PLANNING PURPOSES  
 REPORT ALL ERRORS OMISSIONS AND DISCREPANCIES CHAMBERLAIN WALLIS  
 ALL DIMENSIONS TO BE CHECKED AND VERIFIED ON SITE BEFORE COMMENCING ANY WORK.

**FOUNDATION NOTES:**

\*OAK FRAME\* REFERS TO 75% OR 100% OF COMPONENTS OF THE FRAME WHICH ARE OF OAK AS SPECIFIED ON CUSTOMER QUOTATION

- KEY:**
- INTERNAL SLAB LEVEL
  - CURVED STRUCTURAL BRACE 1300MM
  - CURVED STRUCTURAL BRACE 800MM
  - DIAGONAL STRAIGHT WIND BRACE
  - DIAGONAL ROOF BRACE
  - SOLE PLATE
  - FIRST FLOOR JOIST
  - INDEPENDENT POST ONTO PAD STONE (CONCRETE SUB-BASE BENEATH AS NECESSARY)
  - POST ONTO SOLE PLATE/BRICKWORK

**REVISIONS:**  
 A 18/06/2021 K.C. Stone piths not brick, Roof pitch 36 degrees.

**ADDRESS**  
 3 Bay frame 6325mm Wide  
 4.1m Span plus 1.2m Aisle  
 2.1m Eaves  
 200mm Timbers

<b>DWG NO:</b>	<b>DRAWN BY:</b> K.C.
<b>Ref_1261</b>	<b>SCALE:</b> 1:50 / 1:100
<b>REVISION:</b> A	<b>DATE:</b> 30/04/2021
	<b>ORDER NO</b>