

From: [DC Consultation](#)
To: [Laura Garth](#); [Jay Smith](#)
Subject: FW: Planning Application Consultation 19NP0057 Hesleyside Huts, Hesleyside Hall, Bellingham, Northumberland, NE48 2LA
Date: 09 August 2019 17:20:57
Attachments: [eCon_NCC_Public Protection.doc](#)

From: [REDACTED] **On Behalf**
Of ruraheh Mailbox
Sent: 07 August 2019 13:29
To: DC Consultation
Subject: Fwd: Planning Application Consultation 19NP0057 Hesleyside Huts, Hesleyside Hall, Bellingham, Northumberland, NE48 2LA

Hi

Public Protection have requested that this consultation be returned without comment as the proposal falls below their risk appetite.

Thanks

Lisa

Technical Support Officer
Technical Support
Business Compliance and Public Safety Unit
Housing and Public Protection Service
Northumberland County Council
West Hartford Community Fire Station
Cramlington
NE23 3JP
Telephone: Peter McMorrow [REDACTED]
[REDACTED]
Fax: 01670 626059
E-mail: [REDACTED]
Website: <http://www.northumberland.gov.uk>



----- Forwarded message -----

From: **Public Protection** <public.protection@northumberland.gov.uk>
Date: Fri, 2 Aug 2019 at 12:10
Subject: Fwd: Planning Application Consultation 19NP0057 Hesleyside Huts, Hesleyside Hall, Bellingham, Northumberland, NE48 2LA
To: ruraheh Unknown <[REDACTED]>

----- Forwarded message -----

From: **NNPA Planning Consultations** <dcconsultation@nnpa.org.uk>
Date: Fri, 2 Aug 2019 at 12:07

Subject: Planning Application Consultation 19NP0057 Hesleyside Huts, Hesleyside Hall, Bellingham, Northumberland, NE48 2LA

To: NCC Public Protection <public.protection@northumberland.gov.uk>

Please see the attached consultation regarding a planning application which has been received by Northumberland National Park Authority. Full details can be viewed at <http://nnpa.planning-register.co.uk/plaPlanningAppDisplay.aspx?AppNo=19NP0057>

DC Consultation, Development Control Consultation

Telephone: Mob:

Web:

www.northumberlandnationalpark.org.uk<<http://www.northumberlandnationalpark.org.uk/>>

IMPORTANT NOTICE - Disclaimer - This communication is from Northumberland National Park Authority (NNPA). The Authority's head office and principal place of business is Eastburn, South Park, Hexham, Northumberland, NE46 1BS, United Kingdom. If you are not the intended recipient(s) please note that any form of disclosure, distribution, copying or use of this communication or the information in it or in any attachments is strictly prohibited and may be unlawful. If you have received this communication in error, please delete the email and destroy any copies of it. Any views or opinions presented are solely those of the author and do not necessarily represent those of NNPA. Contractors or potential contractors are reminded that a formal Order or Contract is needed for NNPA to be bound by any offer or acceptance of terms for the supply of goods or services. Although this email and any attachments are believed to be free of any virus or other defects which might affect any computer or IT system into which they are received, no responsibility is accepted by the NNPA for any loss or damage arising in any way from the receipt or use thereof. Computer systems of this Authority may be monitored and communications carried out on them recorded, to secure the effective operation of the system and for other lawful purpose.

DC Consultation, Development Control Consultation

Tel: (x)

Mob:

IMPORTANT NOTICE - Disclaimer - Officers are expressly required not to make defamatory statements and not to infringe or authorize any infringement of copyright or any other legal right by email communications. Any such communication is contrary to ICT policies and outside the scope of the employment of the individual concerned. Northumberland National Park Authority will not accept any liability in respect of such communication, and the employee responsible will be personally liable for any damages or other liability arising.