

1 Parking place for Tower
 Surfacing and construction of carparking spaces to use methodology described in Arboricultural Survey Arboricultural Impact Assessment Arboricultural Method Statement Tree Protection Plan

Entrance to Hesleyside Huts

Conifer plantation

Conifer plantation

drainage field (based on daily requirement of approximately 800 litres) linear drainage 70 metres x 0.6 metres with a standard HAND DUG sub surface trench with a distribution drain in a stone surround to minimum 160mm below, with an impermeable plastic membrane above the stone, as per British Standards layout

pipework to be dug using methodology described in Arboricultural Survey Arboricultural Impact Assessment Arboricultural Method Statement Tree Protection Plan

Road to B6320

Rowan Hut

Holly Hut

Matrix CLF01A9 population waste water treatment plant


130

Mixed Woodland
 Mainly Scots Pine,
 Larch and Birch

133

138.0

Note: Trees to be protected in strict adherence to the Arboricultural Survey Arboricultural Impact Assessment Arboricultural Method Statement Tree Protection Plan



| | | | | | |
|------------------|---------------|-------------|------------|------------------------------|--|
| Purpose of Issue | Scales @ A2 | Project No. | Originator | Project | Layout Title |
| Planning | 1 to 500 @ A2 | 609 01A | Charlton | Hesleyside Huts: Larch Tower | Hesleyside Huts: Larch Tower Site Plan |