

Your Ref: 18NP0006
Our ref: EAS0529A



MONO CONSULTANTS LIMITED
CULZEAN HOUSE, 36 RENFIELD STREET
GLASGOW G2 1LU



Head of Development Management
Northumberland National Park Authority
Eastburn, South Park,
Hexham,
Northumberland
NE46 1BS

23 July 2019

Dear Sir or Madam,

**PLANNING CONSENT REF: 18NP0006
APPLICATION FOR APPROVAL OF DETAILS RESERVED BY CONDITION
PROPOSED INSTALLATION OF A TELECOMMUNICATIONS SITE FOR THE EMERGENCY SERVICES
COMMUNICATIONS NETWORK ON LAND AT BROWNKNOWE FIELD, GREENHAUGH,
NORTHUMBERLAND, NE48 1PS**


I refer to planning consent ref: 18NP0006 that was granted, subject to conditions on 14 February 2019 for the installation of an emergency services communications site on land at Brownknowe Field, Greenhaugh, Northumberland, NE48 1PS. This application for approval of details reserved by condition relates specifically to Conditions 4, 5, 6, 7 and 10 of the planning consent.

- Condition 4 – Please see the attached Construction Environmental Management Plan (CEMP) for review and approval, as required by Condition 4 of the planning consent.
- Condition 5 – Please see the attached Construction Method Statement (Construction Methodology Plan) for your review and approval, as required by Condition 5 of the planning consent.
- Condition 6 – Please see the attached detailed planting scheme and management plan for review and approval, as required by Condition 6 of the planning consent.
- Condition 7 – Please see the attached track detail plan for review and approval, as required by Condition 7 of the planning consent.
- Condition 10 – No external lighting will be installed at this site.

A cheque for the application fee of £116 (made payable to the Northumberland National Park Authority) has been issued by separately post.

Please do not hesitate to contact me if you need any further information to support this application. We look forward to receiving your acknowledgement and decision in due course.

Yours faithfully



Ginny Hall MRTPI
SENIOR PLANNER

Tel: [Redacted]

Email: [Redacted]