

**From:** [REDACTED]  
**To:** [Planning Email Group](#)  
**Subject:** FAO Jay Smith 20NP0013  
**Date:** 04 March 2020 14:11:31

---

Dear Jay,

Thank you for consulting Northumbrian Water on the above proposed development.

In making our response to the local planning authority Northumbrian Water will assess the impact of the proposed development on our assets and assess the capacity within Northumbrian Water's network to accommodate and treat the anticipated flows arising from the development. We do not offer comment on aspects of planning applications that are outside of our area of control.

Having assessed the proposed development against the context outlined above I can confirm that at this stage we would have no comments to make.

I trust this information is helpful to you, if you should require any further information please do not hesitate to contact me.

Yours sincerely

**Laura Kennedy**  
Planning Team  
Developer Services

T [REDACTED]  
E [REDACTED]

Leat House, Pattinson Road, Washington, Tyne and Wear, NE38 8LB



This email and its attachments are intended for the addressee only and may be confidential or privileged. If this email has come to you in error, you should take no action based on it. Please return it to the sender immediately and then delete it.

Unless expressly stated, opinions in this message are those of the individual sender and not of Northumbrian Water Limited.

You should be aware that this email, and any reply to it, may need to be made public under right to know legislation, or in connection with litigation. Emails may also be monitored in accordance with our legal responsibilities.

While Northumbrian Water Limited has scanned this email and its attachments for security threats, including computer viruses, we have no liability for any damage which you may sustain as a result of any such viruses. You are advised to carry out your own virus checks before opening any attachment.