



- EL Emergency Non Maintained Light - BS 5266-pt 1:2005
 - Break Glass Call Point - Type A
 - DS Smoke Detector - mains powered and interlinked and maintained at least 300mm from any adjacent light fittings or walls
 - E → Exit and Direction of Escape Signage - BS 5499 pt 4 2000
- N.B. A combination light box and directional sign may be used as an alternative to separate fittings

MATERIALS

WALLS - NATURAL LOCAL SANDSTONE WITH NATURAL STONE QUOINS
LINTELS AND SILLS

ROOF - NATURAL BLUE SLATE

WINDOWS & DOORS - DARK GREY POWDER COATED ALUMINIUM WITH LOW E DOUBLE GLAZED UNITS

RAINWATER GOODS - DARK GREY FINISHED ALUMINIUM

Michael Rathbone CABE Architectural & Surveying		5 Church Hill, Chilton Alnwick, NE66 5PY 07833489191 michael.rathbone05@gmail.com
Building PROPOSED BUNKHOUSE LAND AT BRIDGE END ALWINTON, MORPETH NORTHUMBERLAND, NE65 7BQ		
Dwg Title FLOOR PLAN AND ELEVATIONS		
Scale 1: 50 @ A1 1:100 @ A3	Copyright © 2017	
Arch <input type="checkbox"/> Mech <input type="checkbox"/> Elect <input type="checkbox"/>	Initial Creation Date OCTOBER 2017	Issue 1 Revision June 2021 2
Sheet 1	Dwg. No. 79/17	